Automation

Pump Genius





Pump Genius

PUMP INTELLIGENCE TO YOUR SYSTEM

Pumps, pipeline and fittings can get seriously damaged if pressure or flow are out of control and such occurrences are not tracked early.

The Pump Genius is a customizable feature of WEG drives that enables your standard VSD to become dedicated for pumping systems. It ensures **accurate pressure / flow control** throughout the processing cycle, starting with raw water and its usage, ending on wastewater treatment.

With an easy-to-use programming wizard, Pump Genius helps you to *minimize downtime* and *maximize energy savings*. Everything you need is selecting one of the three options that best fits to your application.

simplex

multipump

multiplex





Submersible pumps

Wastewater plants

Desalination plants

Irrigation systems

Water distribution



simplex

The Simplex software adds ideal features to the VSD for single pump control.





multipump


Multipump is the best choice when a pumping system needs to be integrated with a cost-effective solution. It enables one single VSD to control up to 5 pumps via DOL, soft-starter or other starting methods.

multiplex

Multiplex software is the most complete solution to accurately control flow and pressure with high reliability.

The VSDs control, monitor and manage the entire system on their own. There is no need for additional PLC, HMI or any external devices thus installation costs can be optimized.








| Advantages | Benefits | | | | |
|--|--|--|--|--|--|
| Special features to water and wastewater segment | Full protection to pumping systems and maximized usability through special functions | | | | |
| Save costs and space | Eliminates the complexity of existing panels that uses tradicional control methods | | | | |
| Reduced maintenance costs | The software provides efficient and equal use of the pumps in the system | | | | |
| Wizards | WEG free of charge macro that can be added to your standard drive | | | | |
| User friendly | Intuitive interface tool for an easy setup, control and monitoring | | | | |
| Achieves better performance | By using the PID control, excellent results in terms of Energy Savings can be obtained | | | | |
| WEG quality | Same standard robustness and technology found in WEG products | | | | |








Energy Savings

PID controller of WEG VSDs helps the pump to achieve the best performance. Even with a minimum speed reduction of 20%, almost unnoticed in the application, the power consumption is cut almost in half.

Pipe Charging Mode

Pipe charging function allows for initial filling and lubrication as it runs for a timeframe at a preconfigured slow speed. Also, as it achieves a soft pipe filling, water hammer is avoided.





Sleep and Wake-Up Modes / Sleep Boost

Sleep mode allows the pump to save energy and preserve the motor health when demand / flow is below the required for long periods, keeping the pump in standby mode. Along with the Sleep mode the software carries the sleep boost feature where a momentary overpressure is delivered to the pump before the system to be shut off. Wake-up mode restarts the system automatically when the pressure falls below the lower set point.



Dry Pump Protection

A dry run persisting for long periods can cause potential damages to the pump. Pump Genius detects this operating conditions with no sensor, providing warnings and protection for the system.








Broken Pipe or Leakage Detection

Pump Genius diagnoses when a pump is consuming more power than it should. Through load and speed information, the drive automatically monitors and warns if a pipe leaks. Also, maximum system pressure can be configured to trigger when clogged pipe conditions take place.

Pump Cavitation Monitoring

When a pump cavitation condition (e.g. low level of fluid) is detected, the drive reduces the pressure in the pipeline to avoid mechanical breaks and increases the impeller lifetime.





Fixed or Floating Control

The user is able to select if the pumps will be started over a predetermined or rotating sequences with the intent to obtain equal wear and tear of individual pumps, as the logic monitors the runtime of the individual pumps and based on that, the specific pump is brought in or out.




















Programmable Schedules

Up to 12 programmable setpoints with time schedule can be setup for controlling the water supply.





Jockey Pump

Under low demand, only the smaller pump is enabled. As the water consumption increases, the larger pump is activated and jockey pump is deactivated.

Deragging

The drive is able to perform an automatic clean of the impeller every time the pump is started, whenever a clogging is detected or on user demand increasing pump lifetime.








Master/Slave Configuration

Master/slave modes enable total management of the system. When conditions like broken sensor wire or communication wire is detected, another VSD will be automatically be nominated as master, taking the system management reestablished to keep regular conditions.

Force Rotation

Force rotation makes the last pump in the system to be shut off when rotation is at certain low speed but it is not yet the sleep level. With old fashion logic the last pump would run indefinitely.





Pump Genius Solution

| Features | | Single pump | | Multiple pumps | | |
|--|-------------------------------|-------------|---------------------|---------------------|--------------------|--------------------------------|
| | | SIMPLEX | | MULTIPUMP | | MULTIPLEX |
| | | CFW500 | CFW11 ¹⁾ | CFW11 ¹⁾ | CFW500 | CFW11 ¹⁾ |
| | | | | | | + SymbiNet Plugin (RS485, CAN) |
| Sleep/Wake-up modes | | > | ~ | ~ | * | ✓ |
| Sleep boost | | * | ~ | * | × | ✓ |
| Pipe charging | | ~ | ~ | ~ | ~ | ✓ |
| Dry pump protection | | ~ | ~ | ~ | ~ | ✓ |
| Broken pipe or leakage detection | | ~ | ~ | ~ | ~ | ✓ |
| Pump cavitation monitoring | | × | ~ | × | × | ✓ |
| Multiple pumps | Fixed control | NA | | Up to 6 pumps | Up to 4 pumps | Up to 5 pumps |
| | Floating control | | | Up to 5 pumps | Up to 3 pumps | |
| | Possibility to force rotation | | | (Floating Control) | (Floating Control) | ✓ |
| Master / Slave configuration | | NA | | × | × | ✓ |
| Programmable schedules | | × | ~ | × | × | × |
| Deragging | | * | ~ | × | × | × |
| Jockey pump | | ~ | ~ | × | × | × |
| Customizable engineering units | | ~ | ~ | ~ | ~ | ✓ |
| Selectable setpoints via digital input | | ~ | ~ | ~ | V | ✓ |
| External sensor protection | | ~ | ~ | ~ | × | ✓ |

Note: 1) Special firmware required.



WEG in Desalination Plant in Algeria


Due to estimates, which shows that in the next 30 years the amount of water available per person in the north of Africa will be reduced to 80%, the Algerian government is investing on seawater desalination.


This includes the construction of three large desalination plants with production capacity of 400 cubic meters of water per day which will greatly benefit a population of over 2 million. Two units have already been concluded and the third is now being

The Tlemcen-Honaine plant, located near the city of Oran, close to the border with Morocco has a production capacity of 150 thousand cubic meters and it will attend to 750 thousand inhabitants directly. It'll be one of the largest in the world.

WEG supplied Variable Speed Drives and soft-starters for the pumps that will withdraw water from the Mediterranean Sea at Honaine providing soft starting and speed variation for pumps which will result in higher efficiency.

It was invested in the three plants a total amount of US\$ 400 m. Besides the desalination plants, the resources will also be used in the construction of dams and for sanitation. According to Daho Ould Kablia, "with the new program, the Algerian government intends to find a balance between the different regions of the country and provide a fair supply and distribution of water and the services related to it."







WEG supplied VSDs and soft-starters



Sustainability

Sustainability has been an integrated part of WEG's philosophy since its foundation. That is why awareness with environment protection has been a *major concern* in the company for the *correct* use of natural resources.

Half of the energy produced around the world is used to operate pumps, while one third of the world's population live in areas experiencing water shortages. As known by nations, the effective use of electric power reduces significantly environmental impacts and helps to guarantee the sustainable use of natural resources for the future generations.

Guarantee the lowest environmental impact of our products and manufacturing processes by:



Being in compliance with the applicable environmental legislation



Improving continuously by establishing environmental goals and targets



Acting preventively with the aim of protecting the environment



Ecoefficient processes and products, saving natural resources

Certifications ISO 50001:2011 ISO 14001:2014 ISO 9001:2008





Global Presence

With more than 30.000 employees worldwide, WEG is one of the largest electric motors, electronic equipments and systems manufacturers. We are constantly expanding our portfolio of products and services with expertise and market knowledge. We create integrated and customized solutions ranging from innovative products to complete after-sales service.

WEG's know-how guarantees our *Pump Genius* is the right choice for your application and business, assuring safety, efficiency and reliability.



Availability is to have a global support network



Partnership is to create solutions that suit your needs



Competitive edge is to unite technology and innovation





Know More

High performance and reliable products to improve your production process.



Excelence is to provide a whole solution in industrial automation that improves our customers productivity.

Visit:

www.weg.net





WEG Worldwide Operations

ARGENTINA

San Francisco - Cordoba Phone: +54 3564 421484 info-ar@weg.net

Cordoba - Cordoba Phone: +54 3514 641366 weg-morbe@weg.com.ar

Buenos Aires Phone: +54 1142 998000 ventas@pulverlux.com.ar

AUSTRALIA

Scoresby - Victoria Phone: +61 3 97654600 info-au@weg.net

AUSTRIA

Markt Piesting - Wiener Neustadt-Land Phone: +43 2 633 4040 watt@wattdrive.com

Vienna

Phone: +43 1 796 2048 **wtr@weg.net**

BELGIUM

Nivelles - Belgium Phone: +32 67 888420 info-be@weg.net

BRAZIL

Jaraguá do Sul - Santa Catarina Phone: +55 47 32764000 info-br@weg.net

CHILE

La Reina - Santiago Phone: +56 2 27848900 info-cl@weg.net

CHINA

Nantong - Jiangsu Phone: +86 513 85989333 info-cn@weg.net

Changzhou - Jiangsu Phone: +86 519 88067692 info-cn@weg.net

Rugao - Jiangsu Phone: +86 513 80672011 **zhuhua@weg.net**

COLOMBIA

San Cayetano - Bogota Phone: +57 1 4160166 info-co@weg.net

Sabaneta - Antioquia Phone: +57 4 4449277 info-co@weg.net

ECUADOR

El Batan - Quito Phone: +593 2 5144339 wegecuador@weg.net

FRANCE

Saint-Quentin-Fallavier - Isère Phone: +33 4 74991135 info-fr@weg.net

GERMANY

Türnich - Kerpen Phone: +49 2237 92910 info-de@weg.net

Balingen - Baden-Württemberg Phone: +49 7433 90410 info@weg-antriebe.de

Homberg (Efze) - Hesse Phone: +49 5681 99520 info@akh-antriebstechnik.de

GHANA

Accra
Phone: +233 30 2766490
ghana@zestweg.com

INDIA

Bangalore - Karnataka Phone: +91 080 46437450 info-in@weg.net

Hosur - Tamil Nadu Phone: +91 4344 301577 info-in@weg.net

ITALY

Cinisello Balsamo - Milano Phone: +39 2 61293535 info-it@weg.net

JAPAN

Yokohama - Kanagawa Phone: +81 45 5503030 info-ip@weg.net

MALAYSIA

Shah Alam - Selangor Phone: +60 3 78591626 info@wattdrive.com.my

MEXICO

Huehuetoca - Mexico Phone: +52 55 53214275 info-mx@weg.net

Tizayuca - Hidalgo Phone: +52 77 97963790 info-mx@weg.net

NETHERLANDS

Oldenzaal - Overijssel Phone: +31 541 571080 info-nl@weg.net

PERU

La Victoria - Lima Phone: +51 1 2097600 info-pe@weg.net

PORTUGAL

Maia - Porto Phone: +351 22 9477700 info-pt@weg.net

RUSSIA and CIS

Saint Petersburg Phone: +7 812 363 2172 sales-wes@weg.net

SOUTH AFRICA

Johannesburg Phone: +27 (0) 11 7236000 info@zestweg.com

Cape Town Phone: +27 (0) 21 507 7200

gentsets@zestweg.com

Heidelberg Phone: +27 (0) 16 349 2683/4/5 wta@zestweg.com

SPAIN

Coslada - Madrid Phone: +34 91 6553008 info-es@weg.net

Valencia

Phone: +34 96 1379296 info@autrial.es

SINGAPORE

Singapore Phone: +65 68589081 info-sg@weg.net

Singapore

Phone: +65 68622220 info-sg@weg.net

SCANDINAVIA

Mölnlycke - Sweden Phone: +46 31 888000 **info-se@weg.net**

UK

Redditch - Worcestershire Phone: +44 1527 513800 info-uk@weg.net

UNITED ARAB EMIRATES

Jebel Ali - Dubai Phone: +971 4 8130800 info-ae@weg.net

USA

Duluth - Georgia Phone: +1 678 2492000 info-us@weg.net

Bluffton - Indiana Phone: +1 800 5798527 info-us@weg.net

Minneapolis - Minnesota Phone: +1 612 3788000 info-us@weg.net

Washington - Missouri Phone: +1 636-239-9300 wegwill@weg.net

VENEZUELA

Valencia - Carabobo Phone: +58 241 8210582 info-ve@weg.net

For those countries where there is not a WEG own operation, find our local distributor at www.weg.net.



WEG Group - Automation Business Unit Jaraguá do Sul - SC - Brazil Phone: +55 47 3276 4000 automacao@weg.net www.weg.net

